Trex®

DECKING & RAILING

MAKE LIFE OUTSTANDING

2026 COLLECTION



COMPOSITE DECKING DESIGNED FOR LASTING BEAUTY AND EVERYDAY EASE



Trex®

DECKING & RAILING

Trex Decking

Decking Overview	6
Trex Signature®	10
Trex Transcend® Lineage®	12
Trex Transcend® Tropicals	14
Trex Enhance® Naturals	16
Trex Enhance® Basics	18

Trex Railing

Railing Overview	22
Trex Signature® Railing	23

Trex Outdoor Living Products

Trex® Protect™	26
Trex Hideaway® Collection	27
Trex Fascia	28
Trex RainEscape®	29

Find a TrexPro® Installer	30
Deck planning tools	31
Product specifications	32



TREX DECKING

Quality that lasts - stylish composite decking that outperforms wood for hassle-free outdoor living

TREX SIGNATURE IN OCRACOKE
INSTALLED BY BEAMS & BRACES





DESIGNED TO BE DIFFERENT

Our high-performance boards are engineered to resist fading*, scratches and stains** and reduce time-consuming maintenance.

WHY TREX?

TREX VS WOOD
Resists mould, mildew, warping, splintering, cracking, rot and decay

LOW MAINTENANCE
No sanding, staining or sealing required – ever!

SUSTAINABLY MADE
Using 95% recycled plastic film and reclaimed materials


DURABLE
Fade* and stain resistant**


EASY CLEAN
Simple wash with soap and water keeps your deck looking like new**

LONG LASTING
Backed by up to 50 Year Limited Residential Warranties

FLAWLESS FINISH
Trex Hideaway® Collection of plugs and fasteners gives a flawless look

*For details, visit uk.trex.com/warranty
**For details, visit uk.trex.com/care





SUNCOMFORTABLE™ TECHNOLOGY

Trex SunComfortable™ Technology redefines what performance looks like in the heat. This heat-mitigating technology is engineered to reduce heat absorption, keeping Trex deck surfaces cooler† than our original boards.

Look out for this symbol for deck colours with heat-mitigating technology†.

MARINE-GRADE STRENGTH

Engineered for harsh waterfront conditions with materials that withstand full submersion, salt, and constant moisture for extended periods of time. Handling the harshest waterfront conditions with ease, its proven durability is backed by strong limited warranties** and the trusted Trex name.

† Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun on hot days, especially darker colours. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with additional needs.
** For details, visit uk.trex.com/warranty

MAKE LIFE OUTSTANDING WITH TREX


5 COLLECTIONS

15 COLOURS

Trex Signature®

50-YEAR LIMITED
RESIDENTIAL
WARRANTY

Trex Transcend®
LINEAGE®
50-YEAR LIMITED
RESIDENTIAL
WARRANTY





Trex Transcend®
TROPICALS
50-YEAR LIMITED RESIDENTIAL WARRANTY


ISLAND MIST

Trex Enhance®
NATURALS
25-YEAR LIMITED RESIDENTIAL WARRANTY


TOASTED SAND

Trex Enhance®
BASICS
25-YEAR LIMITED RESIDENTIAL WARRANTY


TIDE POOL

TREX SIGNATURE®

Our most realistic wood-grain with a high-end, matte-textured feel.


Superior scratch-resistance gives luxurious durability.

Designed to look like IPE hardwood, but without the upkeep.

50 YEAR LIMITED RESIDENTIAL WARRANTY



TREX SIGNATURE IN OCRACOKE



TREX SIGNATURE IN OCRACOKE
INSTALLED BY BEAMS & BRACES



TREX SIGNATURE IN WHIDBEY

- FLAWLESS FINISH
- LOW-MAINTENANCE
- SPLINTER-FREE
- 100% SUBMERSIBLE
- FADE- AND STAIN-RESISTANT DECKING*
- BEST SCRATCH-RESISTANCE
- MADE FROM 95% RECYCLED AND RECLAIMED MATERIALS

* For details, visit uk.trex.com/warranty and uk.trex.com/care



SQUARE EDGE – 4.88M

GROOVED EDGE – 3.66M AND 4.88M


TREX TRANSCEND® LINEAGE®

Stunning, elevated aesthetics that are more heat resistant* than standard composite decking

50 YEAR LIMITED RESIDENTIAL WARRANTY

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun on hot days, especially darker colours. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with additional needs.

TREX TRANSCEND LINEAGE IN CARMEL



TREX TRANSCEND LINEAGE IN BISCAYNE



TREX TRANSCEND LINEAGE IN RAINIER

- FLAWLESS FINISH
- LOW-MAINTENANCE
- SPLINTER-FREE
- 100% SUBMERSIBLE
- FADE- AND STAIN-RESISTANT DECKING*
- SUNCOMFORTABLE™ TECHNOLOGY**
- BETTER SCRATCH-RESISTANCE
- MADE FROM 95% RECYCLED AND RECLAIMED MATERIALS







SQUARE EDGE – 4.88M

GROOVED EDGE – 3.66M AND 4.88M

* For details, visit uk.trex.com/warranty and uk.trex.com/care

**Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun on hot days, especially darker colours. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with additional needs.

TREX TRANSCEND® TROPICALS

Deep, wood-grain texture and multi-tonal hues that withstand the elements and accidental spills.*

50 YEAR LIMITED RESIDENTIAL WARRANTY



TREX TRANSCEND TROPICALS IN ISLAND MIST

For details, visit uk.trex.com/care.



TREX TRANSCEND TROPICALS IN TIKI TORCH



TREX TRANSCEND TROPICALS IN ISLAND MIST

- FLAWLESS FINISH
- LOW-MAINTENANCE
- SPLINTER-FREE
- 100% SUBMERSIBLE
- FADE- AND STAIN-RESISTANT DECKING*
- BEST SCRATCH-RESISTANCE
- MADE FROM 95% RECYCLED AND RECLAIMED MATERIALS

* For details, visit uk.trex.com/warranty and uk.trex.com/care



SQUARE EDGE – 4.88M

GROOVED EDGE – 3.66M AND 4.88M

TREX ENHANCE® NATURALS


The beauty of wood with the ease of composite, practically priced.

Thin lines and minimal texturing achieve a simple, yet classic look.

25 YEAR LIMITED RESIDENTIAL WARRANTY



TREX ENHANCED NATURALS IN ROCKY HARBOR
INSTALLED BY J.R. TOLLEY DECKING INSTALLATIONS



TREX ENHANCED NATURALS IN TOASTED SAND



TREX ENHANCED NATURALS IN FOGGY WHARF

- FLAWLESS FINISH
- LOW-MAINTENANCE
- SPLINTER-FREE
- 100% SUBMERSIBLE
- FADE- AND STAIN-RESISTANT DECKING*
- GOOD SCRATCH-RESISTANCE
- MADE FROM 95% RECYCLED AND RECLAIMED MATERIALS

* For details, visit uk.trex.com/warranty and uk.trex.com/care



FOGGY WHARF



ROCKY HARBOR



TOASTED SAND



CALM WATER

SCALLOPED SQUARE EDGE – 4.88M

SCALLOPED GROOVED EDGE – 3.66M AND 4.88M



TREX ENHANCE® BASICS

Authentic wood-grain appearance with the durability of composite and the affordability of wood.

25 YEAR LIMITED RESIDENTIAL WARRANTY

TREX ENHANCE BASICS IN TIDE POOL




TREX ENHANCE BASICS IN CLAM SHELL



TREX ENHANCE BASICS IN SADDLE

- FLAWLESS FINISH
- LOW-MAINTENANCE
- SPLINTER-FREE
- 100% SUBMERSIBLE
- FADE- AND STAIN-RESISTANT DECKING*
- SUNCOMFORTABLE™ TECHNOLOGY**
- GOOD SCRATCH-RESISTANCE
- MADE FROM 95% RECYCLED AND RECLAIMED MATERIALS

* For details, visit uk.trex.com/warranty and uk.trex.com/care
** SunComfortable Technology exclusive to the Tide Pool colour in Trex Enhance® Basics



CLAM SHELL



SADDLE



TIDE POOL

SCALLOPED SQUARE EDGE – 4.88M

SCALLOPED GROOVED EDGE – 3.66M AND 4.88M

TREX RAILING


Crafted from high-quality aluminum, our metal railings deliver the sleek design you want with the lasting durability you can rely on.

50 YEAR LIMITED RESIDENTIAL WARRANTY



TREX SIGNATURE® GLASS RAILING
TREX RAINESCAPE®
INSTALLED BY WIRRAL DECKING COMPANY





EFFORTLESS STYLE, EXCEPTIONAL STRENGTH

Trex's long-lasting railing collection makes it easy to find your style and frame your view.

WHY TREX?

EASY INSTALLATION
With step-by-step guides and online resources, we've got everything you need to make installation simple.


EASY-TO-USE TOOLS
Trex's design tools let you plan, price and explore railing styles from home quickly and easily.

DESIGNS FOR EVERY STYLE
From sleek modern to timeless classic, we're here to make your outdoor space uniquely yours.

PEACE OF MIND
With Trex railing, skip the painting and staining - just enjoy lasting beauty.


LONG LASTING
Backed by up to 50 Year Limited Residential Warranties.

CORROSION RESISTANT
Weather-resistant railing crafted from powder-coated aluminium that resists corrosion for long-lasting durability.





TREX SIGNATURE® SQUARE BALUSTERS




CHARCOAL BLACK

CLASSIC WHITE

BRONZE

TREX SIGNATURE® GLASS INFILL



CHARCOAL BLACK



TREX PRODUCTS TO COMPLETE AND COMPLEMENT ANY PROJECT.

TREX SIGNATURE IN OCRACOKE
INSTALLED BY BEAMS & BRACES






JOIST, BEAM & RIM TAPE

Accessible, reliable and easy to work with.


- Trex® Protect™ shields the tops of joists, rim joists and beams from moisture
- The butyl-based tape helps deck screws hold longer and stronger than acrylic or asphalt-based tape
- Acts as a barrier between the wood and galvanised metal such as joist hangers
- Eliminates splitting from freeze and thaw
- Provides a non-skid surface, making it safer during installation
- Available in three widths for joists, double beams and rim joists



Without Trex Protect™

Rain, snow and ice seep in around the fasteners, encouraging wood rot.

25 YEAR LIMITED WARRANTY



With Trex Protect™


Trex® Protect™ seals around all fasteners, inhibiting moisture from penetrating joists.



FLAWLESS FINISH

The Trex Hideaway® collection

When you want a deck that delivers above and beyond, build with the expanded Trex Hideaway® collection, providing solutions for every deck-fastening need, including colour-matched plugs, screws, butt joint clips and more.



Hideaway® Clips

Crafted specifically for Trex decking, Hideaway® Clips offer a strong and seamless connection for a secure installation, every time.



Hideaway® Screws

Trex Hideaway® Colour Match Composite Deck Screws offer both precision and lasting beauty that work across all decking lines.



Hideaway® Plugs

Blending pigments and utilising genuine embossing rolls for perfect colour and texture offer a seamless finish.



TREX® FASCIA

Exceptionally high-performance and low-maintenance.

When it comes to finishing the sides of your deck, nothing beats the beauty, durability and low-maintenance of high-performance Trex Fascia Boards.



High-performance

No sanding, staining or painting required. Trex boards resist fading*, staining**, rot, mould and insects.



Unmatched beauty


Trex offers matching fascia for a wide range of decking colours in addition to a Universal White Fascia to complement any project.



Sustainable style

Trex's Fascia Boards are made from 95% recycled and reclaimed materials, and are backed by up to 50 Year Limited Warranties.


*For details, visit uk.trex.com/warranty
**For details, visit uk.trex.com/care



TREX RAINESCAPE®


Shield the area below your deck from the elements.

Our under-deck drainage system keeps the space under your deck dry, helping you maximise your outdoor space, no matter the weather.



Complete system

Using a network of troughs and gutters to divert water from the deck, Trex RainEscape® shields the area below.



Intelligent design

Provides 100% protection of the deck substructure from moisture and holds screws in place longer.



Proven reliability

Easy to install and comes as a full kit with everything you need!

25 YEAR LIMITED WARRANTY



TrexPRO® INSTALLERS

High-performance decks need high-performance deck builders.

Our TrexPro platform comprises a network of qualified professional installers. All TrexPros® installers have an independent contractor's licence where required, are experienced in Trex products and installation and carry general liability insurance where required, giving you peace of mind your project will be installed to the highest quality.

Scan to find a TrexPro® installer



BRING YOUR PROJECTS TO LIFE WITH HELP FROM OUR DIGITAL TOOLS.

See your deck in real time

A new deck springs to life in your client's garden with the Trex decking and railing AR Visualiser app. Download the Trex AR Visualiser app from any app store.

Deck Designer

Bring your client's vision to life. Our Deck Designer tool helps you handpick every element of your build and preview it in 3D.

Colour Selector

Cost Calculator

Decking Comparison

Scan to explore these tools

TREX SPECIFICATION GUIDE



TREX SIGNATURE IN OCRACOKE
INSTALLED BY BEAMS & BRACES



SPECIFICATION | Trex Signature®

For more information on the products shown below please see page 10.

	Profile	Length	Dimensions	Quantity	Product Code	Single Board
WHIDBEY		3.66m	25mm x 140mm	48 - 25m²	gTRGBWY366P	gTRGBWY366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBWY488P	gTRGBWY488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBWY488P	gTRSBWY488
OCRACOKE		3.66m	25mm x 140mm	48 - 25m²	gTRGBOC366P	gTRGBOC366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBOC488P	gTRGBOC488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBOC488P	gTRSBOC488



TREX SIGNATURE IN WHIDBEY

Key

Grooved = Square = Fascia =



TREX TRANSCEND LINEAGE IN JASPER






SPECIFICATION | Trex Transcend® Lineage®

For more information on the products shown below please see page 12

	Profile	Length	Dimensions	Quantity	Product Code	Single Board
JASPER		3.66m	25mm x 140mm	48 - 25m²	gTRGBJA366P	gTRGBJA366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBJA488P	gTRGBJA488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBJA488P	gTRSBJA488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1JA366P	gTRF1JA366
BISCAYNE		3.66m	25mm x 140mm	48 - 25m²	gTRGBBC366P	gTRGBBC366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBBC488P	gTRGBBC488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBBC488P	gTRSBBC488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1BC366P	gTRF1BC366
RAINIER		3.66m	25mm x 140mm	48 - 25m²	gTRGBRN366P	gRGBRN366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBRN488P	gTRGBRN488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBRN488P	gTRSBRN488
CARMEL		3.66m	25mm x 140mm	48 - 25m²	gTRGBCL366P	gTRGBCL366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBCL488P	gTRGBCL488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBCL488P	gTRSBCL488

SPECIFICATION | Trex Transcend® Tropicals

For more information on the products shown below please see page 14 .

	Profile	Length	Dimensions	Quantity	Product Code	Single Board
		3.66m	25mm x 140mm	48 - 25m²	gTRGBTT366P	gTRGBTT366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBTT488P	gTRGBTT488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBTT488P	gTRSBTT488
		3.66m	25mm x 140mm	48 - 33m²	gTRGBIM366P	gTRGBIM366
		4.88m	25mm x 140mm	48 - 33m²	gTRGBIM488P	gTRGBIM488
		4.88m	25mm x 140mm	48 - 33m²	gTRSBIM488P	gTRSBIM488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1M366P	gTRF1M366

SPECIFICATION | Trex Enhance® Naturals

For more information on the products shown below please see page 16.

	Profile	Length	Dimensions	Quantity	Product Code	Single Board
		3.66m	25mm x 140mm	56 - 29m²	gTRGBRH366P	gTRGBRH366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBRH488P	gTRGBRH488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBRH488P	gTRSBRH488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1RH366P	gTRF1RH366
		3.66m	25mm x 140mm	56 - 29m²	gTRGBFW366P	gTRGBFW366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBFW488P	gTRGBFW488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBFW488P	gTRSBFW488
		3.66m	25mm x 140mm	56 - 29m²	gTRGBTS366P	gTRGBTS366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBTS488P	gTRGBTS488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBTS488P	gTRSBTS488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1TS366P	gTRF1TS366
		3.66m	25mm x 140mm	56 - 29m²	gTRGBCW366P	gTRGBCW366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBCW488P	gTRGBCW488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBCW488P	gTRSBCW488


TREX ENHANCE® BASICS IN CLAM SHELL

SPECIFICATION | Trex Enhance® Basics

For more information on the products shown below please see page 18.

	Profile	Length	Dimensions	Quantity	Product Code	Single Board
CLAM SHELL		3.66m	25mm x 140mm	56 - 29m²	gTRGBCS366P	gTRGBCS366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBCS488P	gTRGBCS488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBCS488P	gTRSBCS488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1CS366P	gTRF1CS366
SADDLE		3.66m	25mm x 140mm	56 - 29m²	gTRGBSD366P	gTRGBSD366
		4.88m	25mm x 140mm	56 - 39m²	gTRSBSD488P	gTRSBSD488
		3.66m	14mm x 184mm	60 - 31m²	gTRF1SD366P	gTRF1SD366
TIDE POOL		3.66m	25mm x 140mm	56 - 29m²	gTRGBTP366P	gTRGBTP366
		4.88m	25mm x 140mm	56 - 39m²	gTRGBTP488P	gTRGBTP488
		4.88m	25mm x 140mm	56 - 39m²	gTRSBTP488P	gTRSBTP488



Universal White Fascia

Universal White Fascia for a crisp, clean finish to your deck.

Profile	Length	Dimensions	Quantity	Product Code	Single Board
	3.66m	14mm x 184mm	30 - 31m²	gTRF1WW366	gTRF1WW366


Key

Grooved = Square = Fascia =

SPECIFICATION | Trex RainEscape®

For more information on the products shown below please see page 29.

Product		Description	Length	Dimensions	Quantity	Product Code
	**RainEscape® Down Spout**	Installed at the ends of joists to create a drainage system Warranty: 20 years	-	254mm high x 304.8mm deep x 406.4mm wide	1	gTRREDP
	**RainEscape® Trough**	Installed between the joists to create a drainage system Warranty: 20 years	3660mm	500mm	1	gTRRETBL366
			4880mm	500mm	1	gTRRETBL488
	**RainEscape® Waterproof Butyl Caulk**	Used to seal and waterproof seams and perimeter of the deck Warranty: 20 years	-	-	1	gTRRECAU
	**RainEscape® Waterproof Tape**	Used to cover overlapping layers of trough and seal around fasteners Warranty: 20 years	1524mm	102mm	1	gTRRETAP
	**RainEscape® Post Flash**	Seals railing post to the top of the RainEscape system Warranty: 20 years	-	102mm x 102mm	1	gTRREPFL
	**RainEscape® Wall Flash**	Seals railing post to the top of the RainEscape system Warranty: 20 years	600mm	3.2mm x 25.4mm	1	gTRREWF



SPECIFICATION | Fixings


For more information on the products shown below please see page 27.

Product	Substructure	Board	Colour	Length	Quantity	Product Code
 **Trex® Universal Clip**	Timber	Grooved	Black	40mm	90	gTRCLIPa
	Timber	Grooved	Black	40mm	900	gTRCLIPBUC
	Steel	Grooved	Black	40mm	90	gTRCLIPc – Steel
 **Trex® Starter Clip**	Timber	Grooved	Stainless Steel – Black	40mm	36	gTRCLIPb
	Steel	Grooved	Stainless Steel – Black	40mm	36	gTRCLIPd – Steel
 **Trex® Router Tool**	-	-			1	gTRROUTTOOL

Product	Colour	Quantity	Size	Product Code
 **Colour Head Screws: Square Boards**	**Calm Water**	x350 per box	63mm	Gtrexscr63CW
	Foggy Wharf	x350 per box	63mm	Gtrexscr63FW
	Rocky Harbor	x350 per box	63mm	Gtrexscr63RH
	Toasted Sand	x350 per box	63mm	Gtrexscr63TS
	Clam Shell	x350 per box	63mm	Gtrexscr63CS
	Tide Pool	x350 per box	63mm	Gtrexscr63TP
 **Black Plug Screws: Square Boards**	**Black Transcend/Lineage /Signature only**	x350 per box	63mm	Gtrexplgscr63
 **Black Fascia Plug Screws (44mm)**	-	x75 per box	44mm	Gtrexfasplgscr44
 **Colour Match Fascia Screws**	**Calm Water**	x75 per box	44mm	Gtrexfasscr44CW
	Foggy Wharf	x75 per box	44mm	Gtrexfasscr44FW
	Rocky Harbor	x75 per box	44mm	Gtrexfasscr44RH
	Toasted Sand	x75 per box	44mm	Gtrexfasscr44TS
	Clam Shell	x75 per box	44mm	Gtrexfasscr44CS
	Saddle	x75 per box	44mm	Gtrexfasscr44SD
 **Plug Screws: Square Boards**	**Black – Enhance only**	x400 per box	51mm	Gtrexenplgcr51

SPECIFICATION | Trex Signature® Railing

Available in black (B), bronze (BZ) and white (WT). For more information on the products shown below please see page 22.

Product	Details	Dimensions	Quantity	Colour	Product Code
 **Trex Signature Glass Rail Kit**	-	1060mm height x 1820mm x 45mm	1	Black	gTRSRGKHB
 **Trex Signature Rail Kit with Square Balusters**	Horizontal	1060mm height x 1820mm x 45mm	1	Black	gTRSRKHB
			1	Bronze	gTRSRKHBZ
			1	White	gTRSRKHWT
	Stair	1060mm height x 1820mm x 45mm	1	Black	gTRSRKSB
			1	Bronze	gTRSRKSBZ
			1	White	gTRSRKSWT
 **Trex Signature Adjustable Gate**	-	1060mm height x 1820mm x 79mm	1	Black	gTRSGTB
			1	Bronze	gTRSGTBZ
			1	White	gTRSGTWT
 **Trex Signature Post with Cap and Skirt**	Horizontal	1090mm height x 63mm x 63mm	1	Black	gTRSHPB
			1	Bronze	gTRSHPBZ
			1	White	gTRSHPWT
	Stair	1340mm height x 63mm x 63mm	1	Black	gTRSSPB
			1	Bronze	gTRSSPBZ
			1	White	gTRSSPWT
	Crossover bracket	1090mm height x 63mm x 63mm	1	Black	gTRSHXPB
			1	Bronze	gTRSHXPBZ
			1	White	gTRSHXPWT



SPECIFICATION | Trex Signature® Railing

Available in black (B), bronze (BZ) and white (WT). For more information on the products shown below please see page 22.



Product		Details	Quantity	Colour	Product Code
	**Trex Signature Crossover Swivel Bracket**	Works with stair post	1	Black	gTRSSWXB
			1	Bronze	gTRSSWXBZ
			1	White	gTRSSWXWT
	**Trex Signature Gate Hardware Pack**	Two adjustable self-closing hinges one locking hasp	1	Black	gTRSGTHA
	**Trex Signature Aluminium Plate and Hardware Kit**	To be used for fixing post to deck	1		gTRSAP
	**Trex Signature Extra Fixed Bracket Set**	Horizontal	4	Black	gTRSFBHB
			4	Bronze	gTRSFBHBZ
			4	White	gTRSFBHWT
		Stair	4	Black	gTRSFBSB
			4	Bronze	gTRSFBSBZ
			4	White	gTRSFBSWT
	**Trex Signature Swivel Bracket Set**	Horizontal	2	Black	gTRSSBHB
			2	Bronze	gTRSSBHBZ
			2	White	gTRSSBHWT
		Stair	2	Black	gTRSSBSB
			2	Bronze	gTRSSBSBZ
			2	White	gTRSSBSWT
	**Trex Signature Foot Block**	-	1	Black	gTRSFBB
			1	Bronze	gTRSFBBZ
	**Trex Signature Touch-Up Pen**	-	1	Bronze	gTRSPENBZ
			1	White	gTRSPENWT

SPECIFICATION | Fixings

For more information on the products shown below please see page 25.

Product	Colour	Quantity	Product Code
 **Decking Plugs – Transcend/Lineage/ Signature only**	**Whidbey**	x400 per box	GtrexplgWY
	Ocracoke	x400 per box	GtrexplgOC
	Carmel	x400 per box	GtrexplgCL
	Biscayne	x400 per box	GtrexplgBC
	Rainier	x400 per box	GtrexplgRN
	Jasper	x400 per box	GtrexplgJA
	Island Mist	x400 per box	GtrexplgIM
	Tiki Torch	x400 per box	GtrexplgTT
 **Decking Plugs – Enhance only**	**Calm Water**	x416 per box	GtrexenplgCW
	Foggy Wharf	x416 per box	GtrexenplgFW
	Rocky Harbor	x416 per box	GtrexenplgRH
	Toasted Sand	x416 per box	GtrexenplgTS
	Clam Shell	x416 per box	GtrexenplgCS
	Tide Pool	x416 per box	GtrexenplgTP
 **Fascia Plug**	**Biscayne**	x80 per box	GtrexfasplgBC
	Jasper	x80 per box	GtrexfasplgJA
	Island Mist	x80 per box	GtrexfasplgIM
	Rocky Harbor	x80 per box	GtrexfasplgRH
	Toasted Sand	x80 per box	GtrexfasplgTS
	Clam Shell	x80 per box	GtrexfasplgCS
	Saddle	x80 per box	GtrexfasplgSD
	Universal White Fascia	x80 per box	GtrexfasplgWW

			
PRODUCT	**Enhance Square Boards Counterbore and Drive Tool Kit**	**Fascia Counterbore and Drive Tool Kit**	**Colour Match Fascia Counterbore and Drive Tool Kit**
PRODUCT CODE	Gtrexenplgtools	Gtrexfasplgtools	Gtrexfasscrtools

SPECIFICATION | Trex® Protect™

Protect your deck from moisture, and hold screws in place for longer. See page 26.

Product	Description	Length	Dimensions	Quantity	Product Code
 **Trex® Protect Joist, Beam & Rim Tape**	Self-adhesive butyl tape designed to protect the rim, the top of your joist and beam from moisture Warranty: Guaranteed for the lifetime of the project	20m	50mm (joist)	1	gTRPRJT
		20m	100mm (beam)	1	gTRPRBT
		15.24m	279mm (rim)	1	gTRPRRT





Arbor Forest - the UK distributors of Trex.
To find out more:

Call **01469 535 415**,
Email **trex@arborforestproducts.co.uk**
Visit **www.arbordeck.co.uk**

Trex®
DECKING & RAILING

MAKE LIFE OUTSTANDING

Please note, products received may differ from those shown due to continual product development. Please check at time of ordering.

Version 2.0 | 03.2026